PRODUCT CATALOG





DURITIUMIIICN

Advanced In Conjunction With (ICW) Body Armor Plates

Focus on What

DURITIUM TECHNOLOGIES MADE WITH

Matters!









15-YEAR STANDARD WARRANTY

• Ultra Light • Ultra Thin • Level III ICW • Multi-Hit Rifle Protection • Buoyancy Positive •

Cut [†]	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
SHOOTER	10" x 12" x .6"	25.4 x 30.5 x 1.5	2.4	1.1	PA1RF1ICW	ICWRF1-10x12SHMC	Multi-Curve, Shooters Cut (SH)
SAPI	8" x 10" x .6"	20.3 x 25.4 x 1.5	1.7	.77	PA1RF1ICW	ICWRF1-8X10SEMC	Multi-Curve, SAPI Cut (SE)
SA	10" x 12" x .6"	25.4 x 30.5 x 1.5	2.6	1.2	PA1RF1ICW	ICWRF1-10x12SEMC	Multi-Curve, SAPI Cut (SE)
FULL	8" x 10" x .6"	20.3 x 25.4 x 1.5	1.8	.82	PA1RF1ICW	ICWRF1-8X10FSMC	Multi-Curve, Full Size Cut (FS)
SPRINTER PLATE	5" x 8" x .6"	12.7 x 20.3 x .15	0.9	.41	PA1RF1ICW	ICWRF1-5X8FSSC	Single Curve, Full Size Cut (FS)
SPRII PLA	7" x 9" x .6"	17.8 x 22.9 x 1.5	1.2	.54	PA1RF1ICW	ICWRF1-7x9FSSC	Single Curve, Full Size Cut (FS)

^{*}Full size and other custom cuts available upon request.

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





^{*} All Duritium III ICW plate thicknesses are 0.6" +/- 0.125" (1.5cm +/-0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

DURITIUM® III ICW • MODEL PA1RF1ICW

Stopping Power ★ Confidence Saves Lives

(STOPPING POWER IN CONJUNCTION WITH IIIA SOFT ARMOR)

Threat Types	9mm 357 Mag 44 Mag	5.56 x 45mm 55 grain ball (M193)	7.62 x 39mm PS Ball (MSC)	7.62 x 51mm 149 grain M80 FMJ	NATO M855 (SS109) 5.56 × 45 mm, 62 grain steel core M855 A1	M2 AP 7.62 x 63mm 7.62 x 54R API B32 (BXN) "Dragunov"

PROTECTION TYPE / LEVEL:

Level III ICW

CONFIGURATION:

In Conjunction With (ICW) IIIA Soft Armor, Multi-Hit

AREAL DENSITY (WEIGHT):

3.26 lbs/sf 15.90 kg/m²

THICKNESS:

0.6" +/- 0.125" (1.5cm +/- 0.32cm)

CURVATURE:

Multi-Curve, Single Curve

MATERIAL:

Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. NIJ Level III ICW 0101.06

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

MANUFACTURING EQUIPMENT & CAPACITY:

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 50"x74", 2 50"x98", 1 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

CUT OPTIONS



Other custom cuts and sizes available upon request.

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

= ammunition each plate will defeat

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

DURITIUM III+PS Advanced Body Armor Plates

We Protect the Protectors MADE WITH DURITIUM TECHNOLOGY



15-YEAR STANDARD WARRANTY

• Ultra Light • Level III+ • Durable • Stand-Alone • Multi-Hit • Buoyancy Positive

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
æ	8" x 10" x .95"	20.3 x 25.4 x 2.4	2.1	1.0	PS1RF1SC	PS1RF1-8x10SHSC	Single-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x .95"	25.4 x 30.5 x 2.4	3.2	1.5	PS1RF1SC	PS1RF1-10x12SHSC	Single-Curve, Shooters Cut (SH)
중	11" x 14" x .95"	27.9 x 35.6 x 2.4	4.1	1.9	PS1RF1SC	PS1RF1-11x14SHSC	Single-Curve, Shooters Cut (SH)
	8" x 10" x .95"	20.3 x 25.4 x 2.4	2.2	1.0	PS1RF1SC	PS1RF1-8x10SESC	Single-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .95"	25.4 x 30.5 x 2.4	3.4	1.5	PS1RF1SC	PS1RF1-10x12SESC	Single-Curve, SAPI Cut (SE)
	11" x 14" x .95"	27.9 x 35.6 x 2.4	4.3	2.0	PS1RF1SC	PS1RF1-11x14SESC	Single-Curve, SAPI Cut (SE)
PLATE	6" x 6" x .95"	15.2 x 15.2 x 2.4	1.0	0.5	PS1RF1SC	PS1RF1-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
E PL/	6" x 8" x .95"	15.2 x 20.3 x 2.4	1.3	0.6	PS1RF1SC	PS1RF1-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE	8" x 5" x .95"	20.3 x 12.7 x 2.4	1.1	0.5	PS1RF1SC	PS1RF1-8x5FSSC	Side Plate, Single Curve, Full Size Cut (FS)

^{*}Full size and other custom cuts available upon request.

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





^{*} All Duritium III+PS plate thicknesses are $0.95'' \pm 0.125''$ (2.4cm ± 0.32 cm). All size (profile) dimensions are $\pm 0.375''$ (± 0.95 cm).

DURITIUM® III+PS • MODEL PS1RF1SC

Stopping Power ★ Confidence Saves Lives



S

= ammunition each plate will defeat

PROTECTION TYPE / LEVEL:

Level III+

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

4.26 lbs/sf 20.79 kg/m²

THICKNESS:

0.95" ± 0.125" (2.4cm ± 0.32cm)

CURVATURE:

Single Curve

MATERIAL:

Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. NIJ Level III 0101.06 German VPAM Level 6 NATO STANAG 2920 Level B4

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

DURITIUM III+PA Advanced Body Armor Plates

Confidence To Save Lives MADE WITH DURITIUM TECHNOLOGY







15-YEAR STANDARD WARRANTY

• Ultra Light • Level III+ • Durable • Stand-Alone • Multi-Hit • Buoyancy Positive •

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
	8" x 10" x .7"	20.3 x 25.4 x 1.8	1.8	0.8	D1652SSB	SH3+8x10MC	Multi-Curve, Shooters Cut (SH)
麗	8.75" x 11.75" x .7"	22.2 x 29.8 x 1.8	2.3	1.0	D1652SSB	SH3+8.75x11.75MC	Multi-Curve, Shooters Cut (SH)
SHOOTER	9.5" x 12.5" x .7"	24.1 x 31.8 x 1.8	2.8	1.3	D1652SSB	SH3+9.5x12.5MC	Multi-Curve, Shooters Cut (SH)
돐	10" x 12" x .7"	25.4 x 30.5 x 1.8	2.7	1.2	D1652SSB	SH3+10x12MC	Multi-Curve, Shooters Cut (SH)
	11" x 14" x .7"	27.9 x 35.6 x 1.8	3.5	1.6	D1652SSB	SH3+11x14MC	Multi-Curve, Shooters Cut (SH)
	8" x 10" x .7"	20.3 x 25.4 x 1.8	1.9	0.9	D1652SSB	SE3+8x10MC	Multi-Curve, SAPI Cut (SE)
	8.75" x 11.75" x .7"	22.2 x 29.8 x 1.8	2.5	1.1	D1652SSB	SE3+8.75x11.75MC	Multi-Curve, SAPI Cut (SE)
SAPI	9.5" x 12.5" x .7"	24.1 x 31.8 x 1.8	2.9	1.3	D1652SSB	SE3+9.5x12.5MC	Multi-Curve, SAPI Cut (SE)
O1	10" x 12" x .7"	25.4 x 30.5 x 1.8	2.9	1.3	D1652SSB	SE3+10x12MC	Multi-Curve, SAPI Cut (SE)
	11" x 14" x .7"	27.9 x 35.6 x 1.8	3.7	1.7	D1652SSB	SE3+11x14MC	Multi-Curve, SAPI Cut (SE)
ш	6" x 6" x .7"	15.2 x 15.2 x 1.8	0.9	0.4	D1652SSB	FS3+6x6SC	Side Plate, Single Curve, Full Size Cut (FS)
SIDE PLATE	6" x 8" x .7"	15.2 x 20.3 x 1.8	1.2	0.5	D1652SSB	FS3+6x8SC	Side Plate, Single Curve, Full Size Cut (FS)
- 0, <u>-</u>	8" x 5" x .7"	20.3 x 12.7 x 1.8	0.9	0.4	D1652SSB	FS3+8x5SC	Side Plate, Single Curve, Full Size Cut (FS)

[†] Full size and other custom cuts available upon request.

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





^{*} All Duritium III+PA plate thicknesses are 0.7" ± 0.125" (1.8cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

DURITIUM® III+PA • MODEL D1652SSB

Stopping Power ★ Confidence Saves Lives



PROTECTION TYPE / LEVEL:

Level III+

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

3.63 lbs/sf 17.73 kg/m²

THICKNESS:

0.7" ± 0.125" (1.8cm ± 0.32cm)

CURVATURE:

Multi-Curve

MATERIAL:

Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. NIJ Level III 0101.06 NATO STANAG 2920 Level B4

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

MANUFACTURING EQUIPMENT & CAPACITY:

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 50"x74", 2 50"x98", 1 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

= ammunition each plate will defeat

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

DURITIUM' GT2

Advanced Body Armor Plates with Green Tip Protection

We Protect the Protectors MADE WITH DURITIUM TECHNOLOGY



15-YEAR STANDARD WARRANTY

• Ultra Thin • Durable • Stand-Alone • Multi-Hit • Green Tip Protection • MIL-SPEC •

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model#	Part #	Description
SIDE	6" x 6" x .6"	AV	/AILABLE SOON		GT2RF2MC	GT2RF2-6X6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
	8.75" x 11.75" x .6"	AV	AILABLE SOON		GT2RF2MC	GT2RF2-8.75x11.75SHMC	Multi-Curve, Shooters Cut (SH)
SHOOTER	9.5" x 12.5" x .6"	AV	/AILABLE SOON		GT2RF2MC	GT2RF2-9.5x12.5SHMC	Multi-Curve, Shooters Cut (SH)
SHO	10" x 12" x .6"	25.4 x 30.5 x 1.52	3.8	1.7	GT2RF2MC	GT2RF2-10x12SHMC	Multi-Curve, Shooters Cut (SH)
	11" x 14" x .6"	27.9 x 35.6 x 1.52	4.7	2.1	GT2RF2MC	GT2RF2-11x14SEMC	Multi-Curve, SAPI Cut (SE)
	9.5" x 12.5" x .6"	AV	/AILABLE SOON		GT2RF2MC	GT2RF2-9.5x12.5SEMC	Multi-Curve, SAPI Cut (SE)
SAPI	10" x 12" x .6"	25.4 x 30.5 x 1.52	3.8	1.7	GT2RF2MC	GT2RF2-10x12SEMC	Multi-Curve, SAPI Cut (SE)
	11" x 14" x .6"	27.9 x 35.6 x 1.52	4.9	2.3	GT2RF2MC	GT2RF2-11x14SEMC	Multi-Curve, SAPI Cut (SE)

[†] Full size and other custom cuts available upon request.

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.





^{*} All Duritium GT2 plate thicknesses are 0.6"±0.125" (1.72cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

DURITIUM® GT2 • MODEL GT2RF2MC

Stopping Power ★ Confidence Saves Lives



PROTECTION TYPE / LEVEL:

Special Threat M855/SS109 (Green Tip)

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

4.76 lbs/sf 23.23 kg/m²

THICKNESS:

0.6" ± 0.125" (1.52cm ± 0.32cm)

CURVATURE:

Multi-Curve

MATERIAL:

Composite/Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

Milspec, Special Threat

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

MANUFACTURING EQUIPMENT & CAPACITY:

All equipment is located in the U.S. and for 2019 the company production capacity is about \$50,000,000 in ballistics products at wholesale.

ABBREVIATED LIST OF EQUIPMENT:

- Multi opening laminating presses from 1000 to 5000 tons high pressure.
- Presses sizes, 1 38"x50", 2 50"x50", 1 50"x74", 2 50"x98", 1 50"x120"
- Three water jet cutting machines. One 3 axis CNC machine.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

= ammunition each plate will defeat

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

DURITIUM IV+HS Advanced Body Armor Plates

Confidence Saves Lives MADE WITH DURITIUM TECHNOLOGY



10-YEAR STANDARD WARRANTY

Level IV • Durable • Stand-Alone • Multi-Hit • Armor-Piercing Protection •

Cut*	Size (in.)*	Size (cm)*	Weight lb.**	Weight kg**	Model #	Part #	Description
æ	8" x 10" x 0.9"	20.3 x 25.4 x 2.3	3.5	1.6	HS1RF3SC	HS1RF3-8x10SHSC	Single-Curve, Shooters Cut (SH)
SHOOTER	10" x 12" x 0.9"	25.4 x 30.5 x 2.3	5.3	2.4	HS1RF3SC	HS1RF3-10x12SHSC	Single-Curve, Shooters Cut (SH)
Ŗ	11" x 14" x 0.9"	27.9 x 35.6 x 2.3	7.6	3.1	HS1RF3SC	HS1RF3-11x14SHSC	Single-Curve, Shooters Cut (SH)
	8" x 10" x 0.9"	20.3 x 25.4 x 2.3	3.5	1.6	HS1RF3SC	HS1RF3-8x10SESC	Single-Curve, SAPI Cut (SE)
SAPI	10" x 12" x 0.9"	25.4 x 30.5 x 2.3	5.3	2.4	HS1RF3SC	HS1RF3-10x12SESC	Single-Curve, SAPI Cut (SE)
	11" x 14" x 0.9"	27.9 x 35.6 x 2.3	7.7	3.1	HS1RF3SC	HS1RF3-11x14SESC	Single-Curve, SAPI Cut (SE)
SIDE PLATE	6" x 6" x 0.9"	15.2 x 15.2 x 2.3	1.6	0.7	HS1RF3SC	HS1RF3-6x6FSSC	Side Plate, Single Curve, Full Size Cut (FS)
IS 4	6" x 8" x 0.9"	15.2 x 20.3 x 2.3	2.1	1.0	HS1RF3SC	HS1RF3-6x8FSSC	Side Plate, Single Curve, Full Size Cut (FS)

[†]Full size and other custom cuts available upon request.

^{**} All weights are ± 4% or .50 lbs. (0.23kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.






^{*} All Duritium IV+HS plate thicknesses are 0.9"±0.125" (2.3cm ± 0.32cm). All size (profile) dimensions are ± 0.375" (± 0.95cm).

DURITIUM® IV+HS . MODEL HS1RF3SC

Stopping Power ★ Confidence Saves Lives



PROTECTION TYPE / LEVEL:

Level IV

CONFIGURATION:

Stand-Alone, Multi-Hit

AREAL DENSITY (WEIGHT):

6.64 lb/sq ft 32.40 kg/m²

THICKNESS:

0.9" ± 0.125" (2.3cm ± 0.32cm)

CURVATURE: Single Curve

MATERIAL:

Composite/Polyethylene

PROTECTIVE COVER:

Polyurea

COMPLIANCE TESTED:

U.S. Level IV

AVAILABLE OPTIONS:

Custom ballistics products and solutions available upon request.

CUT OPTIONS



Full size and other custom cuts and sizes available upon request

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of ten (10) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

BALLISTICBOARD

MADE WITH

DURITIUM TECHNOLOGIES

Ultra Light • Ultra Thin • Warranted Performance • Hand Gun & Rifle Protection

BallisticBoard®, made with Duritium® technologies, is an ultra light, ultra thin ballistic material that is developed and manufactured in the USA to withstand multiple shot impacts from handgun and rifle fire. The BallisticBoard insert (soft and rigid) and clipboard are perfect for placing in a backpack, computer bag, luggage, or purse to turn it into instant ballistic protection. Tested by NIJ certified laboratories to exceed national industry standards, BallisticBoard is your answer to safety, security, and the confidence that you or your loved one is protected. BallisticBoard and Duritium® technologies can be engineered for almost any custom ballistic application, from classrooms and furniture to retail environments and vehicle armor.



BallisticBoard® Level IIIA - Soft Insert

HAND GUN PROTECTION





PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12SA	10" x 12" x .26"	25.4 x 30.5 x .66	1.1	0.49	BallisticBoard® Level IIIA – Soft Insert
FS3A11x14SA	11" x 14" x .26"	27.9 x 35.6 x .66	1.4	0.63	BallisticBoard® Level IIIA – Soft Insert



BallisticBoard® Level IIIA - Rigid Insert

BallisticBoard In	sert – Rigid (SSI	B-IIIA-RA)

BallisticBoard Clipboard (SSB-IIIA-RACL)

SIZE (in.)*

10" x 12" x .26"

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RA	10" x 12" x .26"	25.4 x 30.5 x .66	1.2	0.54	BallisticBoard® Level IIIA - Rigid Insert
FS3A11x14RA	11" x 14" x .26"	27.9 x 35.6 x .66	1.6	0.73	BallisticBoard® Level IIIA - Rigid Insert

WT. (lbs.)**

1.3



BallisticBoard® Level IIIA - Clipboard

HIGH-P	OWFR	ED RIE	I F PRC	TECTION



SIZE (cm)*

25.4 x 30.5 x .66



WT. (kg)**

0.58

DESCRIPTION

BallisticBoard® Level IIIA - Clipboard

BallisticBoard Insert - Rigid (SSB-III-RA)

PART NUMBER

FS3A10x12RACL

		<u> </u>			
PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS310x12RA	10" x 12" x 0.7"	25.4 x 30.5 x 1.78	3.75	1.7	BallisticBoard® Level III - Rigid Insert
FS311x14RA	11" x 14" x 0.7"	27.9 x 35.6 x 1.78	4.75	2.15	BallisticBoard® Level III - Rigid Insert

^{*}All insert thicknesses are ± 0.12" (± 0.30 cm)

Level III - Rigid Insert





BallisticBoard®

^{**}All weights are ± 4% or .50 lbs. (.23 kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors



BALLISTIC CLIPBOARD

Focus on What Matters! MADE WITH DURITIUM TECHNOLOGY

Ultra Light • Ultra Thin • Warranted Performance • Hand Gun Protection

BallisticBoard® Clipboard, made with Duritium® technology, is an ultra light, ultra thin ballistic material that is developed and manufactured in the USA to withstand multiple shot impacts from handgun and fire. The clipboard is perfect for placing in a backpack, computer bag, luggage, or to carry to turn it into instant ballistic protection.





Tested by NIJ certified laboratories to exceed national industry standards, BallisticBoard Clipbaord is your answer to safety, security, and the confidence that you or a loved one is protected wherever they go.





BALLISTICBOARD

HAND GUN PROTECTION





BallisticBoard Cl	pboard	(SSB-IIIA-RACL)
-------------------	--------	-----------------

PART NUMBER	SIZE (in.)*	SIZE (cm)*	WT. (lbs.)**	WT. (kg)**	DESCRIPTION
FS3A10x12RACL	10" x 12" x .26"	25.4 x 30.5 x .66	1.3	0.58	BallisticBoard® Level IIIA – Clipboard

*All insert thicknesses are ± 0.12" (± 0.30 cm)

Also available from Shotstop



BallisticBoard® Level IIIA – Soft Insert



BallisticBoard® Level IIIA – Rigid Insert



BallisticBoard® Level III (Rifle Protection) Rigid Insert



Advanced Body Armor Plates

Visit us at ShotStop.com

ShotStop Advanced Armor Limited Warranty and Use & Care:

As stated in the ShotStop Advanced Armor (SSB) Limited Warranty Statement, SSB warrants, for a period of fifteen (15) years after the "date of issue" that the Soft Armor Materials, Soft and Hard Body Armor Products, and Hard Armor Solutions shall be free from defects in material and workmanship provided all products are used and maintained in accordance with SSB's Use and Care Manual. A copy of the SSB Limited Warranty and Use & Care Manual is included with every product or can be requested at this email address: Customer@ShotStop.com or by calling 330-686-0020.

Department of State ITAR/Department of Commerce EAR:

This data sheet is for an EXPORT CONTROLLED PRODUCT. The export of these products and technical information related to these products is governed by the U.S. Department of State International Traffic in Arms Regulations (ITAR) and/or the Department of Commerce Export Administration Regulations (EAR). Non-Sales Technical Data related to these products must not be transmitted to a foreign person/entity without proper authorization of the U.S. Government. Violations may result in administrative, civil, or criminal penalties. ITAR/EAR Export Licenses and/or ITAR/EAR Brokering Licenses (as appropriate) will be required prior to submittal of any further technical information and/or shipment of samples and/or products.

ABOUT SHOTSTOP

U.S.-based ShotStop Ballistics is developing the lightest, thinnest, and strongest advanced armor technologies in the world. From body armor plates and armored vehicle protection to its innovative BallisticBoard® material and custom armor solutions, ShotStop Ballistics is leading the way in improving the protection of our police, military, special forces, S.W.A.T., security personnel, and more. With technical expertise that spans the last 35+ years, the ShotStop team brings together engineers, Ph.Ds, chemists, product developers, and ballistic specialists to create ballistic technology that saves lives, reduces restriction, and maximizes performance. ShotStop consistently uses independent and federally accredited ballistic labs, including the Department of Defense and National Institute of Justice, to ensure ShotStop armor positions our servicemen and women with the best possible protection.



Cage: 7HKH8 | D-U-N-S: 080070249 | Patents: US9,180,623; 10,048046; 15,335216 | Patents Pending

^{***}All weights are ± 4% or .50 lbs. (.23 kg), whichever is greater. Specifications are subject to change at any time. Not responsible for printed errors.



Body Armor Stopping Power * Confidence Saves Lives

M2 AP 7.62 x 63mm 7.62 x 54R API B32 (BXN) "Dragunov"						(4)
NATO M855 (55109) 5.56 x 45 mm, 62 grain steel core M855 A1					<u>(4)</u>	(4)
7.62 × 51mm 149 grain M80 FMJ	(J	Soft Armor	(4)	(4)	(4)	(4)
7.62 x 39mm PS Ball (MSC)	(J	n With Level IIIA	(4)	(4)	(4)	(4)
5.56 × 45mm 55 grain ball (M193)	(J	Stopping Power In Conjunction With Level IIIA Soft Armor	(4)	(4)	(4)	(/ ₂)
9mm 357 Mag 44 Mag	į	Stopping Pow	(4)	(4)	(/ ₁)	(4)
Multi-Hit	YES	YES	YES	YES	YES	YES
Buoyant	YES	YES	YES	YES	9	9
Material	Polyethylene	Polyethylene	Polyethylene	Polyethylene	Alloy- Composite	Alloy- Composite
Curve	Single	Multi	Single	Multi	Single/ Multi	Single
Thickness	0.6 in. 1.5 cm	0.6 in. 1.5 cm	0.95 in. 2.4 cm	0.7 in. 1.8 cm	0.6 in. 1.52 cm	0.9 in. 2.3 cm
Weight	1.2 lbs. 0.5 kg.	2.4 lbs. 1.1 kg.	3.2 lbs. 1.5 kg.	2.7 lbs. 1.2 kg.	3.8 lbs. 1.7 kg.	5.3 lbs. 2.4 kg.
Model	Duritium® III ICW 7" x 9" 178mm x 229mm	Duritium® III ICW 10" x 12" 254mm x 305mm	Duritium® III+PS 10"x12" 254mm x 305mm	Duritium® III+PA (5)	Duritium® GT2 10"x12" 254mm x 305mm	Duritium® IV+HS 10" x 12" 254mm x 305mm
Threat Types		Ļ	TEAET III	Image: Control of the	SPECIAL THREAT	TEAET IA

= ammunition each plate will defeat

All referenced 10"x12" weights are based on Shooter cut.

Tested by a third-party NUJ accredited ballistic laboratory to stop rounds up to and including this level.

Cage: 7HKHB | Duns. OB0070249 | Patents. US9,180,623 | Patents Pending © 2011-2020 ShotStop Ballistics. LLC All Rights Reserved
ShotStop Ballistics@, ShotStop@, Duritum@, BallisticBoard@ and SS@ logo mark are registered trademarks of ShotStop Ballistics. LLC

1-800-986-0795 • 1-330-686-0020 • ShotStop.com